

WINGERT FEEDERS

IT'S YOUR REPUTATION SPECIFY THE BEST

Engineered for Performance

Around the world, Wingert Bypass Feeders, Filter Feeders, and Bromine Feeders are specified by name. No one offers more solutions than the J.L. Wingert Company for introducing chemicals into cooling towers, boilers, or closed-loop recirculating systems.







J.L.WINGERT CO.

BYPASS FEEDERS

Wingert Bypass Feeders are designed to provide you with a rugged and dependable means of introducing treatment chemicals into hot and chilled water, or other liquid streams. Simplicity of design and ease of operation is inherent in every Wingert Bypass Feeder. With three styles to choose from, the J.L. Wingert Company offers the widest variety of feeders in the industry.

- 200 PSI (13.6 Bar) at 200° F (90° C) standard series has a 3 ½" quarter-turn positive seal closure and quick release cap
- Flat or dome bottom models available in 2, 5, 12 and 18 gallon capacities
- 300 PSI (20.7 Bar) at 200° F (90° C) high pressure series available in 1, 2, 5 & 12 gallon capacities
- Epoxy coating, stainless steel or ASME code construction available on select models
- Complete line of accessories available



FILTER FEEDERS

Wingert Filter Feeders eliminate the need for a separate bypass feeder and filter. As rugged and dependable as our complete line of bypass feeders, the filter feeder offers ease of installation with precise filtering capabilities down to 25 microns. Wingert Filter Feeders are available in

- Up to 200 PSI (13.6 Bar) at 200° F (90° C)
- 2, 5 & 12 gallon capacities
- Both flat and dome bottom models available in regular or high capacity
- Standard 25 micron filter included, other ratings available
- 3 ½" quarter-turn positive seal closure and quick release cap
- Custom configurations may be requested



PLEATED FILTER FEEDERS

Pleated Filter Feeders combine chemical addition and filtering in one piece of equipment. They prove to be a convenient way to introduce chemicals into hot or cold water closed circulating systems. The Wingert Pleated Filter Feeder has a larger filtration volume/capacity than any other filter feeder on the market today. Our unique handle top filter holder design keeps hands safely away from potentially harmful chemicals, while our full bottom drain easily voids chemical residual.


- Filtration can be achieved at the same time as chemical addition
- Comes with a standard 20 micron filter, other filters available
- Most standard 9-10 inch cartridge filters can be used
- Easy cleaning filter design
- Pleated design gives a larger and increased filter surface area
- 3 ½" quarter-turn positive seal closure and quick release cap
- Maximum pressure 200 PSI (13.6 Bar) at 200° F (90° C)
- 2 & 5 gallon capacities

BROMINE FEEDERS

This new addition to our extensive feeder line adds chemical resistance without topical coatings that scratch. These fiberglass feeders have CPVC closures and come in flat and dome bottom models that are rated for 150 PSI (10.3 Bar) @ 120° F (49° C). Complete the installation by

- 2, 5, 12 & 16 gallon capacities
- Unique 1" NPT threaded port in closure
- Perfect for shot and slug feeding corrosive chemicals into any type of system
- Other sizes available on request
- Custom configurations may be requested






VALVE PACKAGES



Wingert Valve Packages offer both convenience and economy. These packages have been designed specifically to enhance the performance and life of your Wingert Feeder. To ensure proper installation and function of your bypass feeder, filter feeder, or bromine feeder be sure to specify a Wingert Valve Package.



OPTIONAL FEATURES AND ACCESSORIES

For Bypass Feeders & Filter Feeders

- 1/4" air release valve
- Pressure gauge
- Special coatings
- ASME code
- Stainless steel and other materials of construction
- Filter bag kits
- Special sizes and configurations available





- 1/4" PVC air release valve
- PE fill funnel and isolation valve
- Rechargeable PVC dissolving chamber
- Special sizes and configurations available

